

## COMET TOOLS V4 SUBQUERY DESCRIPTIONS

<b>sqryAtty</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonID	Atty ID (unique Identifier for this query)	tblPerson
sCategory	"Atty" (as criteria)	tblPerson
sFName	Atty's first name	tblPerson
sMName	Atty's middle name	tblPerson
sLName	Atty's last name	tblPerson
sWorkAddr1		tblPerson
sWorkAddr2		tblPerson
sWorkCity		tblPerson
sWorkState		tblPerson
sWorkZip		tblPerson
sHomePhone		tblPerson
sHomeEmail		tblPerson
sHomeFax		tblPerson
sWorkPhone		tblPerson
sWorkExt		tblPerson
sWorkFax		tblPerson
sEmpEmail		tblPerson
sPager		tblPerson
sMobile	Mobile phone number	tblPerson
sBarNum	Bar Number	tblPersonAtty
sFirmName	Firm Name	tblPersonAtty

<b>sqryCaseWorker</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonID	Case Worker ID (unique Identifier for this query)	tblPerson
sCategory	"Case" (as criteria)	tblPerson
sFName	Case Worker first name	tblPerson
sMName	Case Worker middle name	tblPerson
sLName	Case Worker last name	tblPerson
sWorkAddr1		tblPerson
sWorkAddr2		tblPerson
sWorkCity		tblPerson
sWorkState		tblPerson
sWorkZip		tblPerson
sHomePhone		tblPerson
sHomeEmail		tblPerson
sHomeFax		tblPerson

COMET CODE TOOLS SUBQUERY DESCRIPTIONS

sWorkPhone		tblPerson
sWorkExt		tblPerson
sWorkFax		tblPerson
sEmpEmail		tblPerson
sPager		tblPerson
sMobile	Mobile phone number	tblPerson

<b>sqryChild</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonID	Child's ID (for this query)	tblPerson
sCategory	"Child" (as criteria)	tblPerson
sFName	Child's first name	tblPerson
sMName	Child's middle name	tblPerson
sLName	Child's last name	tblPerson
nGroupID	Child's group number	tblPersonChild
sAKA	Child is also known as	tblPersonChild
sSSN	Social Security Number	tblPersonChild
dDOB	Date of Birth	tblPersonChild
sGender	Gender	tblPersonChild
sEthnicity	Ethnicity	tblPersonChild
sPrimaryLang	Primary Language	tblPersonChild
sSecondaryLang	Secondary Language	tblPersonChild
nSiblings	Number of siblings	tblPersonChild
sSchool	School	tblPersonChild
sGrade	Child's grade	tblPersonChild
nNumPlacements	Number of prior placements	tblPersonChild
sPlacementLength	Length of prior placements (in months)	tblPersonChild
fRemoved	Child removed from home?	tblPersonChild
dDateRemoved	Date child removed from home	tblPersonChild
sRemovedRelation	Relation child removed from	tblPersonChild
dAssignCASA	Date assigned to CASA program	tblPersonChild
sInitialStatus	Initial case status	tblPersonChild
dRecentEffort	Date of most recent efforts of determination	tblPersonChild
sReferredBy	Referred by	tblPersonChild
dCourtClosed	Date court closed case	tblPersonChild
dProgramClosed	Date program closed case	tblPersonChild
sFinalPlacement	Placement at case closing	tblPersonChild
sCourtReason	Reason court closed case	tblPersonChild
sProgramReason	Reason program closed case	tblPersonChild
fCASARec	Casa recommendation accepted?	tblPersonChild
sNote	Child notes	tblPersonChild
sClosingNote	Case closing notes	tblPersonChild
fCaseDiff	Case worker recommendation different?	tblPersonChild

COMET CODE TOOLS SUBQUERY DESCRIPTIONS

<b>sqryFamily</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonID	Family Member ID (for this query)	tblPerson
sCategory	"Family" (as criteria)	tblPerson
sFName	First name	tblPerson
sMName	Middle name	tblPerson
sLName	Last name	tblPerson
sHomeAddr1		tblPerson
sHomeAddr2		tblPerson
sHomeCity		tblPerson
sHomeState		tblPerson
nHomeZip		tblPerson
sHomeCounty		tblPerson
sEmployer	Family member's employer	tblPerson
sPosition	Job title	tblPerson
sSupervisor	Job supervisor	tblPerson
sEmpStatus	Employment status	tblPerson
sWorkAddr1		tblPerson
sWorkAddr2		tblPerson
sWorkCity		tblPerson
sWorkState		tblPerson
sWorkZip		tblPerson
sHomePhone		tblPerson
sHomeEmail		tblPerson
sHomeFax		tblPerson
sWorkPhone		tblPerson
sWorkExt		tblPerson
sWorkFax		tblPerson
sEmpEmail		tblPerson
sPager		tblPerson
sMobile	Mobile phone number	tblPerson
sAKA	Also known as	tblPersonFamily
dDOB	Date of birth	tblPersonFamily
sGender		tblPersonFamily
sEthnicity		tblPersonFamily
sEducation	Education level	tblPersonFamily
fSubstanceAbuse	History of substance abuse?	tblPersonFamily
sNote	Notes about family member	tblPersonFamily
nGroupID	Family member's group number	tblPersonFamily

COMET CODE TOOLS SUBQUERY DESCRIPTIONS

<b>sqryInterested Person</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonID	Interested Person ID (unique Identifier for this query)	tblPerson
sCategory	"Int" (as criteria)	tblPerson
sFName	Interested Person first name	tblPerson
sMName	Interested Person middle name	tblPerson
sLName	Interested Person last name	tblPerson
sWorkAddr1		tblPerson
sWorkAddr2		tblPerson
sWorkCity		tblPerson
sWorkState		tblPerson
sWorkZip		tblPerson
sHomePhone		tblPerson
sHomeEmail		tblPerson
sHomePhone		tblPerson
sHomeEmail		tblPerson
sHomeFax		tblPerson
sWorkPhone		tblPerson
sWorkExt		tblPerson
sWorkFax		tblPerson
sEmpEmail		tblPerson
sPager		tblPerson
sEmployer	Place of Employment	tblPerson
sEmpStatus	Position	tblPerson
EmployerSup: sSupervisor	Employment Supervisor	tblPerson
nGroupID	Unique ID for Group Affiliated with Person	tblPersonInterestedPerson

<b>sqryJudge</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonID	Judge ID (unique Identifier for this query)	tblPerson
sCategory	"Judge" (as criteria)	tblPerson
sFName	first name	tblPerson
sMName	middle name	tblPerson
sLName	last name	tblPerson
sWorkAddr1		tblPerson
sWorkAddr2		tblPerson
sWorkCity		tblPerson
sWorkState		tblPerson
sWorkZip		tblPerson
sHomePhone		tblPerson
sHomeEmail		tblPerson

COMET CODE TOOLS SUBQUERY DESCRIPTIONS

sHomeFax		tblPerson
sWorkPhone		tblPerson
sWorkExt		tblPerson
sWorkFax		tblPerson
sEmpEmail		tblPerson
sPager		tblPerson
sMobile	Mobile phone number	tblPerson

<b>sqryRelationshipChildAttorney</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonRelationshipID	Identifies unique combination of 2 persons	tblPersonRelationship
nPersonID	Child ID (for this query)	tblPersonRelationship
nRelationshipID	Attorney ID (for this query)	tblPersonRelationship
dDateAssigned	Date attorney assigned to child	tblPersonRelationship
dDateRemoved	Date attorney removed from assignment	tblPersonRelationship
sRemovalReason	Reason attorney removed	tblPersonRelationship

<b>sqryRelationshipChildCaseWorker</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonRelationshipID	Identifies unique combination of 2 persons	tblPersonRelationship
nPersonID	Child ID (for this query)	tblPersonRelationship
nRelationshipID	CaseWorker ID (for this query)	tblPersonRelationship
dDateAssigned	Date Case Worker assigned to child	tblPersonRelationship
dDateRemoved	Date Case Worker removed from assignment	tblPersonRelationship
sRemovalReason	Reason removed	tblPersonRelationship

<b>sqryRelationshipChildFamily</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonRelationshipID	Identifies unique combination of 2 persons	tblPersonRelationship
nPersonID	Child ID (for this query)	tblPersonRelationship
nRelationshipID	Family member ID (for this query)	tblPersonRelationship
sRelationID	Family category, i.e., mother, father, etc.	TblRelationshipChild

COMET CODE TOOLS SUBQUERY DESCRIPTIONS

<b>sqryRelationshipChildInterestedPerson</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonRelationshipID	Identifies unique combination of 2 persons	tblPersonRelationship
nPersonID	Child ID (for this query)	tblPersonRelationship
nRelationshipID	Interested Person ID (for this query)	tblPersonRelationship
sIntPsnRole	Role of Interested Person	tblRelationshipChildIntPerson

<b>sqryRelationshipChildVolunteer</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonRelationshipID	Identifies unique combination of 2 persons	tblPersonRelationship
nPersonID	Child ID (for this query)	tblPersonRelationship
nRelationshipID	Volunteer ID (for this query)	tblPersonRelationship
dDateAssigned	Date volunteer assigned	tblPersonRelationship
dDateRemoved	Date volunteer removed	tblPersonRelationship
sRemovalReason	Reason volunteer removed	tblPersonRelationship
sSupervisor	Volunteer's supervisor name	tblRelationshipChildVolunteer
nAttyID	Volunteer's attorney name	tblRelationshipChildVolunteer
dEntered	Date the user entered the volunteer's assignment	tblRelationshipChildVolunteer

<b>sqrySupervisor</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonID	Supervisor ID (for this query)	tblPerson
sCategory	"Sprvsr" (as criteria)	tblPerson
SupervisorName:	[sLName] & ", " & [sFName]	tblPerson
sFName	First name	tblPerson
sMName	Middle name	tblPerson
sLName	Last name	tblPerson
sHomeAddr1		tblPerson
sHomeAddr2		tblPerson
sHomeCity		tblPerson
sHomeState		tblPerson
nHomeZip		tblPerson
sHomeCounty		tblPerson
sEmployer	employer	tblPerson
sPosition	Job title	tblPerson
sWorkAddr1		tblPerson
sWorkAddr2		tblPerson

COMET CODE TOOLS SUBQUERY DESCRIPTIONS

sWorkCity		tblPerson
sWorkState		tblPerson
sWorkZip		tblPerson
sHomePhone		tblPerson
sHomeEmail		tblPerson
sHomeFax		tblPerson
sWorkPhone		tblPerson
sWorkExt		tblPerson
sWorkFax		tblPerson
sEmpEmail		tblPerson
sPager		tblPerson

<b>SqryVolActivity</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nVolunteerActivityID	Case Activity ID	tblRelationshipShipVolunteerActivity
nPersonRelationshipID	ID relationship to person	tblRelationshipShipVolunteerActivity
dContact	Date of Activity	tblRelationshipShipVolunteerActivity
sActivityType	Type of Activity	tblRelationshipShipVolunteerActivity
sContactType	Type of Contact	tblRelationshipShipVolunteerActivity
fOOC	Out of Court?	tblRelationshipShipVolunteerActivity
nHours	Hours	tblRelationshipShipVolunteerActivity
nMileage	Miles	tblRelationshipShipVolunteerActivity

<b>sqryVolunteer</b>		
<b>Fields</b>	<b>Description</b>	<b>Originating Table</b>
nPersonID	Volunteer ID (for this query)	tblPerson
sCategory	"Volunteer" (as criteria)	tblPerson
sFName	First name	tblPerson
sMName	Middle name	tblPerson
sLName	Last name	tblPerson
sHomeAddr1		tblPerson
sHomeAddr2		tblPerson
sHomeCity		tblPerson
sHomeState		tblPerson
nHomeZip		tblPerson
sHomeCounty		tblPerson
sEmployer	Volunteer's employer	tblPerson
sPosition	Job title	tblPerson
sSupervisor	Job supervisor	tblPerson
sEmpStatus	Employment status	tblPerson
sWorkHours		tblPerson
sWorkAddr1		tblPerson
sWorkAddr2		tblPerson

COMET CODE TOOLS SUBQUERY DESCRIPTIONS

sWorkCity		tblPerson
sWorkState		tblPerson
sWorkZip		tblPerson
sHomePhone		tblPerson
sHomeEmail		tblPerson
sHomeFax		tblPerson
sWorkPhone		tblPerson
sWorkExt		tblPerson
sWorkFax		tblPerson
sEmpEmail		tblPerson
sPager		tblPerson
sMobile	Mobile phone number	tblPerson
sSSN	Social Security Number	tblPersonVolunteer
dDOB	Date of birth	tblPersonVolunteer
sGender		tblPersonVolunteer
sEthnicity		tblPersonVolunteer
sEducation	Education level	tblPersonVolunteer
sVolunteerCat	Volunteer Type	tblPersonVolunteer
dDateSworn	Date sworn in as volunteer	tblPersonVolunteer
sVolunteerStatus	Volunteer Status	tblPersonVolunteer
fAvailability	Available? Yes or No	tblPersonVolunteer
dDateAccepted	Date Accepted	tblPersonVolunteer
dDateDischarged	Date Discharged	tblPersonVolunteer
sDischargeReason	Discharge Reason	tblPersonVolunteer
dLeaveDate	On Leave From	tblPersonVolunteer
dReturnDate	On Leave To	tblPersonVolunteer
sNote	Note on Notes tab	tblPersonVolunteer
sPrimaryLang		tblPersonVolunteer
sSecondaryLang		tblPersonVolunteer
sEmergPhone	Emergency Phone Number	tblPersonVolunteer
sEmerContact		tblPersonVolunteer
sDLNum	Driver's License Number	tblPersonVolunteer
sAbusePref	Prefers not to work with this abusive situation	tblPersonVolunteer
sGenderPref	Prefers to work with this Gender	tblPersonVolunteer
sGroupPref	Prefers single child, group, or either	tblPersonVolunteer
sLocation Pref	Preferred geographic area	tblPersonVolunteer
sDisabilityPref	Prefers not to work with this disability	tblPersonVolunteer
sVolunteerReferral	Referred By (30)	tblPersonVolunteer
nMentorID	Mentor (from Training tab)	tblPersonVolunteer
nAgePrefEnd	Age range preferred from	tblPersonVolunteer
nAgePredEnd	Age range preferred to	tblPersonVolunteer
sDefaultSupervisor		tblPersonVolunteer